



ISUZU  
**D-MAX**

**GO YOUR OWN WAY**



# ***POWER & PERFORMANCE***



4x4 D-MAX X-TERRAIN in Sunstone Orange mica

## Performance and reliability taken to the next level.

Welcome to the next generation of tough. From cutting-edge technology to the power you need, the D-MAX is more capable than ever before. It's as eye-catching off-road as it is in the city, offering an unmatched combination of performance, comfort, safety and reliability that's tailored to Australian conditions. With 3.5 tonne towing\* and seamless connectivity, it's both refined and robust. Whether on or off-road, at work or at play, the D-MAX defines durability – today, and every day after.

Everything Isuzu has learned over a century of specialist engineering has led to this. The rugged, reliable, and refined Isuzu D-MAX. GO YOUR OWN WAY.

**3.0L**  
TURBO-DIESEL

**140KW**  
POWER

**450NM**  
TORQUE

**3.5T**  
TOWING\*

\*3.5-tonne towing capacity on all 3-litre engine D-MAX models, 3.0-tonne towing capacity on 1.9-litre engine automatic transmission models & 2.8-tonne towing capacity on 1.9-litre engine manual transmission models when fitted with an optional Genuine Isuzu D-MAX tow bar kit or tow tongue kit and an Electronic Brake Controller.



## The Isuzu D-MAX features an array of advanced technology & safety features - all tailored to make your life easier.

To keep you connected, every D-MAX features a large, high-definition, customisable central touchscreen, with wireless Android Auto™ and wireless Apple CarPlay®, as well as voice recognition. A 4.2" smart digital display on SX, LS-M and X-RIDER and a large 7" smart digital display on LS-U, LS-U+ and X-TERRAIN lets the driver access a variety of information in the instrument cluster via the steering wheel, including a digital speed reading. All D-MAXs offer automatic headlights and wipers as well as intelligent adaptive cruise control as standard. In addition, the LS-U range and X-TERRAIN include an auto-dimming rear view mirror, heated side mirrors and a Tyre Pressure Monitoring System (TPMS) for increased safety.

Your safety is paramount and therefore, Isuzu's Intelligent Driver Assistance System (IDAS®) technology includes an extensive list of both active and passive safety features as standard across the range. Employing state-of-the-art sensors and a stereo camera, IDAS constantly monitors your surrounding environment for danger. Each D-MAX model includes eight airbags as standard and a stronger, more robust chassis, as well as a reinforced cabin safety cell for ultimate protection. With its maximum 5-star ANCAP safety rating, the D-MAX puts your safety first – wherever adventure takes you. The D-MAX BLADE variant is unrated.



Apple CarPlay is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local road rules before using these functions.

\*IDAS Features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For more information and an explanation of features use and limitations refer to the Owner & Driver's Manual, visit [isuzuute.com.au](http://isuzuute.com.au) or talk to your local Isuzu UTE Dealer.



# SMARTER & SAFER



4x4 D-MAX X-TERRAIN interior with leather accented seats<sup>1</sup>

<sup>1</sup>Seats have leather touches or accents, but are not wholly leather.



# THE ULTIMATE WORKHORSE

## D-MAX SX (24MY)



### Cabin Types



**Single Cab Chassis**  
(4x2 & 4x4)



**Space Cab Chassis**  
(4x2 & 4x4)



**Crew Cab Chassis**  
(4x2 & 4x4)



**Crew Cab Ute**  
(4x2 & 4x4)



### Engine Types


Model shown is 4x4 D-MAX SX Crew Cab Ute in Mineral White

### SX key features

- 1.9-litre & 3-litre engine variants available
- Tilt & Telescopic Adjustable Steering Wheel
- Electric Power Steering
- Easy-Clean Vinyl Flooring
- 8" Touchscreen Audio with wireless Android Auto™ & wireless Apple CarPlay® Compatibility
- Reversing Camera
- Black Handles & Mirrors
- 17" Steel Wheels & 255 65 R17 All-Terrain Tyres

- Black Radiator Grille
- Halogen Headlights
- Rear centre console USB type C port
- Tailgate Assist (Ute variants only)
- Rough Terrain Mode (4x4 models only)

### Available colours



\*1.9L engine only available on 4x2 SX Single Cab Chassis, 4x2 SX Crew Cab Chassis, 4x2 SX Crew Cab Ute & 4x4 SX Crew Cab Ute.



# THE JACK OF ALL TRADES

## D-MAX LS-M (24MY)



### Cabin Type



**Crew Cab Ute**  
(4x4 only)



**Crew Cab Chassis**  
(4x4 only)

Model shown is 4x4 D-MAX LS-M Crew Cab Ute in Neptune Blue mica

### Engine Type




### LS-M key features

- Tilt & Telescopic Adjustable Steering Wheel
- Electric Power Steering
- Easy-Clean Vinyl Flooring
- High Grade Cloth Seats
- 8" Touchscreen Audio with wireless Android Auto™ & wireless Apple CarPlay® Compatibility
- Reversing Camera with Rear Park Assist Sensors (Cab Chassis model has Reversing Camera only)
- Body Colour Handles & Mirrors
- LED Fog Lights

- 17" Alloy Wheels & 255 65 R17 All-Terrain Tyres
- Black-Grey Radiator Grille
- Bi-LED Headlights with Auto Levelling
- Tailgate Assist (Ute variants only)
- Rough Terrain Mode (4x4 models only)

### Available colours





# THE PERFECT ALL-ROUNDER

## D-MAX X-RIDER (24MY)



### Cabin Types



**Crew Cab Ute**  
(4x4 only)

Model shown is 4x4 D-MAX X-RIDER Crew Cab Ute in Magnetic Red mica

### Engine Type




### X-RIDER key features

- Tilt & Telescopic Adjustable Steering Wheel
- Electric Power Steering
- Easy-Clean Vinyl Flooring
- High Grade Cloth Seats
- 8" Touchscreen Audio with wireless Android Auto™ & wireless Apple CarPlay® Compatibility
- Reversing Camera with Rear Park Assist Sensors
- Body Colour Handles & Mirrors
- LED Fog Lights
- 17" Gloss Black Alloy Wheels
- Material Black Radiator Grille
- Black Integrated Rear Step Bumper

- Bi-LED Headlights with Auto Levelling
- Dark Headline Trim
- Basalt Black Door & Tailgate Handles
- Basalt Black Power Door Mirrors with integrated Turn Indicators
- Dark Grey Side Steps
- Black Sports Bar
- Soft Tonneau Cover
- Rough Terrain Mode

### Available colours





# THE DO-IT-ALL COMPANION

## D-MAX LS-U (24MY)



### Cabin Types



**Space Cab Ute**  
(4x4 only)



**Crew Cab Ute**  
(4x2 & 4x4)



**Crew Cab Chassis**  
(4x4 only)

Model shown is 4x4 D-MAX LS-U Space Cab Ute in Obsidian Grey mica

### Engine Type



### LS-U key features

- Tilt & Telescopic Adjustable Steering Wheel
- Leather Steering Wheel
- Smart Keyless Entry & Push Button Start
- Auto-dimming Rear View Mirror & Heated Door Mirrors
- Electric Power Steering
- Carpet Flooring with Darkened Interior Finish
- High Grade Cloth Seats
- 9" Touchscreen Audio with wireless Android Auto™ & wireless Apple CarPlay® Compatibility
- Reversing Camera with with Dynamic Guidelines and Rear Park Sensors (Cab Chassis model has Reversing Camera only)

- 18" Two-Tone Machined Alloy Wheels & 265 60 R18 Highway-Terrain Tyres
- Silky Silver Radiator Grille, Chrome Handles & Mirrors
- Bi-LED Headlights with Auto Levelling
- Power Lumbar Support Driver's Seat
- Dual Zone Climate Control Air Conditioning (with rear seat vents in Crew Cab)
- Silver Aluminium Side Steps
- Under Rail Tub Liner
- Tow Bar Receiver
- Tyre Pressure Monitoring System (TPMS)
- Tailgate Assist (Ute variants only)
- Rough Terrain Mode (4x4 models only)

### Available colours





# THE EVERYDAY ADVENTURER

## D-MAX LS-U+ (24MY)



### Cabin Types



**Crew Cab Ute**  
(4x4 only)

### Engine Type



Model shown is 4x4 D-MAX LS-U+ Crew Cab Ute in Mercury Silver metallic

### LS-U+ key features

- Tilt & Telescopic Adjustable Steering Wheel
- Leather Steering Wheel
- Smart Keyless Entry & Push Button Start
- Auto-dimming Rear View Mirror & Heated Door Mirrors
- Electric Power Steering
- Carpet Flooring with Darkened Interior Finish
- Leather Accented Seats\* with Heated Front Seats
- 9" Touchscreen Audio with wireless Android Auto™ & wireless Apple CarPlay® Compatibility
- Reversing Camera with Dynamic Guidelines and Rear Park Sensors Rear Park Assist Sensors

- 18" Two-Tone Machined Alloy Wheels & 265 60 R18 Highway-Terrain Tyres
- Silky Silver Radiator Grille, Chrome Handles & Mirrors
- Bi-LED Headlights with Auto Levelling
- Electric Eight-Way Adjustable Driver's Seat with Power Lumbar Support
- Dual Zone Climate Control Air Conditioning (with rear seat vents)
- Silver Aluminium Side Steps
- Under Rail Tub Liner
- Tow Bar Receiver
- Tyre Pressure Monitoring System (TPMS)
- Tailgate Assist
- Rough Terrain Mode

### Available colours





# THE TOTAL PACKAGE

## D-MAX X-TERRAIN (24MY)



### Cabin Type



**Crew Cab Ute**  
(4x4 only)

Model shown is 4x4 D-MAX X-TERRAIN in Sunstone Orange mica

### Engine Type



### X-TERRAIN key features

- Smart Keyless Entry & Push Button Start
- Remote Engine Start & Walk Away Door Lock
- Tilt & Telescopic Adjustable Steering Wheel
- Electric Power Steering
- Carpet Flooring with Darkened Interior Finish
- Auto-dimming Rear View Mirror & Heated Door Mirrors
- Leather Accented Seats<sup>†</sup> with Red Stitching and Heated Front Seats
- 9" Touchscreen Audio with wireless Android Auto™ & wireless Apple CarPlay® Compatibility
- Bi-LED Headlights with Auto Levelling
- Tyre Pressure Monitoring System (TPMS)

- Front & Rear Park Assist Sensors with Reversing Camera
- 18" Matte Dark Grey Alloy Wheels & 265 60 R18 Highway-Terrain Tyres
- Electric Eight-Way Adjustable Driver's Seat with Power Lumbar Support
- Dual Zone Climate Control Air Conditioning (with rear seat vents)
- Dark Grey Radiator Grille, Side Steps, Fender Flares & Aero Sports Bar
- Black Roller Tonneau Cover
- Under Rail Tub Liner
- Tow Bar Receiver
- Tailgate Assist
- Rough Terrain Mode

### Available colours



All features mentioned are a guide for quick comparison. Refer to the D-MAX specification list for further details on available features. Apple CarPlay is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local road rules before using these functions. <sup>†</sup>Seats have leather touches or accents but are not wholly leather.

# COLOURS AND TRIM (24MY)

## Body Colours



**Basalt Black mica**



**Mercury Silver metallic**



**Mineral White**



**Neptune Blue mica**



**Obsidian Grey mica**



**Magnetic Red mica**  
(X-RIDER, LS-U Range & X-TERRAIN Exclusive)



**Granite Grey mica**  
(X-RIDER, LS-U Range & X-TERRAIN Exclusive)



**Moonstone White pearl**  
(LS-U Range & X-TERRAIN Exclusive)




**Sunstone Orange mica**  
(X-TERRAIN Exclusive)

## Interior Trim



**Standard Black Cloth**  
(On SX models)



**High Grade Cloth**  
(On LS-M, X-RIDER, LS-U models)



**Leather Accented<sup>\*</sup>**  
(On LS-U+)



**Leather Accented<sup>\*</sup> with Red Stitching**  
(On X-TERRAIN)

<sup>\*</sup>Seats have leather touches or accents, but are not wholly leather.  
Colours depicted herein may differ from actual due to the printing process.



# 24MY ISUZU D-MAX SPECIFICATIONS

Engine	3.0L	1.9L
Series	Isuzu 4JJ3-TCX	RZ4E-TC
Description	3-litre turbo-diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD)	1.9-litre turbo-diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD)
Maximum torque	450Nm @ 1600→2600 rpm (automatic & manual)	350Nm @ 1800→2600 rpm (automatic and manual)
Maximum power	140kW @ 3600 rpm	110kW @ 3600 rpm
Bore x stroke	95.4mm x 104.9mm	80mm x 94.4mm
Displacement	2999cc	1898cc
Compression ratio	16.3 : 1	15.9: 1
Cylinder head	Isuzu-patent special aluminium alloy	Isuzu-patent special aluminium alloy
Valve gear	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder
Induction	Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger	Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger
Cylinder block	Cast iron upper with induction-hardened cylinder bores, cast alloy lower	Cast iron upper with induction-hardened cylinder bores, cast alloy lower
Emission level	Euro 5	Euro 5
Alternator	90 amp with Intelligent Battery Sensor (IBS)	90 amp with Intelligent Battery Sensor (IBS)

## Transmissions

Manual	3.0L Engine: Isuzu MVL-6S 6-speed manual with high torque capacity and output reduction, 275mm diameter clutch plate and dual mass flywheel 1.9L Engine: Isuzu MVL-6Y 6-speed manual with high torque capacity and output reduction, 275mm diameter clutch plate and single mass flywheel					
Automatic	Aisin AWR6B45 II 6-speed with sequential shift and brake shift lock electronically controlled, tri-mode with fuel-saving lock-up torque converter on gears 3, 4, 5 and 6 ► Uphill/Downhill Transmission Control: holds gear in varied-gradient ascents, selects gear on steep descents to hold speed with engine braking					
Ratios: 1	3.0L Turbo	6-speed Manual	6-speed Automatic	1.9L Turbo	6-speed Manual	6-speed Automatic
	1st	4.942	3.600	1st	4.942	3.600
	2nd	2.452	2.090	2nd	2.686	2.090
	3rd	1.428	1.488	3rd	1.527	1.488
	4th	1.000	1.000	4th	1.000	1.000
	5th	0.749	0.687	5th	0.749	0.687
	6th	0.634	0.580	6th	0.634	0.580
Final drive	Reverse	4.597	3.732	Reverse	4.597	3.732
	4x2	3.727	3.727	4x2	4.100	4.100
Transfer gearing	4x4	3.727	3.727		-	4.100
	Snorkelled diff breathers to increase fording depth and reduce mud blockage					
4x4 system	4x4 low-range	2.482	2.482			2.482
	4x4 high-range	1.000	1.000			1.000
Drivetrain system	TCS (Traction Control System) on all model variants					

## Steering

Electric power steering with speed-sensing steering feel (light at low speed, heavy at high speed); tilt and telescopic adjustable steering wheel
Engine-speed-sensitive variable capacity Electric power system; 3.84 turns lock-to-lock via tilt-adjustable steering wheel

## Chassis

Separate, full-length heavy-duty chassis with 8 cross members on all models
Front suspension
Independent, high-ride, coil springs, gas shock absorbers, upper and lower wishbones, stabiliser bar
Rear suspension
All Cab Chassis models: Heavy Duty alloy-steel overslung long-span semi-elliptic leaf springs; gas shock absorbers
4x2 and 4x4 models: Alloy-steel overslung long-span semi-elliptic leaf springs; gas shock absorbers

## Axles

Front
Independent 4x4: fully floating with outer CV, inner double offset joints and equal length driveshafts. Rating: 1450kg
Rear
Rigid semi-floating banjo with hypoid final drive and dual tapered needle roller bearings. Rating: 1910kg

## Brakes

Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD), Electronic Stability Control (ESC), Emergency Brake Assist (EBA), Traction Control System (TCS), Rollover Mitigation, Hill Start Assist (HSA), Hill Descent Control (HDC) and Trailer Sway Control (TSC)
320mm dia. ventilated front discs with 2-piston calipers, 295mm rear drums
Power-assisted via 10" servo unit; central pull up park brake

## Wheels and Tyres

SX	17" x 7" drilled Silver-Finish Steel; 255 / 65 R17 All-Terrain
LS-M	17" x 7" alloy; 255 / 65 R17 All-Terrain
X-RIDER	17" x 7" alloy; 255 / 65 R17 All-Terrain
LS-U and LS-U+	18" x 7.5" alloy; 265 / 60 R18 Highway-Terrain
X-TERRAIN	18" x 7.5" matte Dark Grey Alloy; 265 / 60 R18 Highway-Terrain
All Models	Full size steel spare wheel

## Service Plus

Warranty	For the ultimate peace of mind, every Isuzu D-MAX comes standard with a comprehensive, bumper-to-bumper 6 years/150,000km warranty <sup>1</sup> .
Roadside Assistance	Enjoy up to 7 years Roadside Assistance <sup>2</sup> when you complete your scheduled services at a Participating Isuzu UTE Dealer.
Flat Price Servicing	As an owner you will get access to our Flat Price Servicing <sup>3</sup> Program. The FPS Program covers the first 5 Scheduled Services at \$449 per service in line with the Scheduled Service Intervals.

<sup>1</sup>The Flat Price Servicing Program ("FPS Program") applies to FPS Eligible Vehicles (excludes Rental & Government Customers) at Participating Isuzu UTE Dealers only. For 24MY and later vehicle models, the Flat Price Servicing covers the first 5 Scheduled Services up to 5 years/75,000km (whichever occurs first). FPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit [isuzuute.com.au/flat-price-service-disclaimer](https://isuzuute.com.au/flat-price-service-disclaimer). <sup>2</sup>6 years/150,000km (whichever occurs first), for Isuzu UTE Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories. <sup>3</sup>The Roadside Assistance Program ("RSA Program") provides Coverage to RSA Eligible Vehicles (Private, ABN and Business Fleet Customers only) with a Warranty Start Date on or after 1/9/20 for a maximum of 7 years (unlimited kilometres). Initial 13 months Coverage provided from the Warranty Start Date. The Coverage will be reset for another 13 months from each date that a Participating Isuzu UTE Dealer conducts a Scheduled Service on the vehicle. For full terms & conditions visit [isuzuute.com.au/roadside-assistance-disclaimer](https://isuzuute.com.au/roadside-assistance-disclaimer).

## Safety

IDAS	Every D-MAX comes with Isuzu's Intelligent Driver Assistance System (IDAS <sup>1</sup> ) built-in to protect and enhance the driving experience. IDAS includes smart technologies as well as other passive and active safety features.
ANCAP RATING	The D-MAX has achieved a maximum 5-star ANCAP safety rating in 2022. The D-MAX BLADE variant is unrated.

<sup>1</sup>IDAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Driver's Manual.

## SPECIFICATIONS

	4x2 High-Ride					4x4											
	Single Cab Chassis SX	Space Cab Chassis SX	Crew Cab Chassis SX	Crew Cab Ute SX	Crew Cab Ute LS-U	Single Cab Chassis SX	Space Cab Chassis SX	Space Cab Ute LS-U	Crew Cab Chassis SX	Crew Cab Ute SX	Crew Cab Chassis LS-M	Crew Cab Ute LS-M	Crew Cab Ute X-RIDER	Crew Cab Chassis LS-U	Crew Cab Ute LS-U	Crew Cab Ute LS-U+	Crew Cab Ute X-TERRAIN
Engine																	
1898cc DOHC 4cyl. with intercooled turbocharger (350Nm, 110kW)	●		●	●			●			●				●			
2999cc DOHC 4cyl. with intercooled turbocharger (450Nm, 140kW)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Transmissions																	
6-speed manual transmission	●					●			●								
6-speed "Rev-Tronic" automatic transmission with sequential sport mode	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Safety and Security																	
4-channel 4-sensor Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Electronic Stability Control (ESC)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traction Control System (TCS)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Emergency Brake Assist (EBA)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hill Start Assist (HSA)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hill Descent Control (HDC)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Autonomous Emergency Braking (AEB)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Turn Assist with AEB	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Post-Collision Braking	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Forward Collision Warning (FCW)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Misacceleration Mitigation (*AT models only)	●*	●	●	●	●	●*	●	●	●*	●	●	●	●	●	●	●	●
Intelligent Adaptive Cruise Control (IACC) with Stop and Go functionality	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traffic Sign Recognition (TSR)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Intelligent Speed Limiter	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Manual Speed Limiter	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lane Departure Warning (LDW)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lane Departure Prevention (LDP)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lane Keep Assist (LKA)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Emergency Lane Keeping (ELK)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lane Support System (LSS) Switch (disables LDW, LDP, LKA, ELK)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Driver Attention Assist	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Blind Spot Monitoring (BSM)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear Cross Traffic Alert (RCTA)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear Cross Traffic Braking (RCTB)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
BSM/RCTA/RCTB Auto Switch Off (disables BSM/RCTA/RCTB when the genuine tow harness is connected)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Digital Reversing camera w/ Dynamic Guidelines				●	●		●		●						●		●
Digital Reversing camera	●	●	●			●	●		●		●		●	●	●	●	●
Rear Park Assist Sensors					●			●				●	●		●	●	●
Front Park Assist Sensors																	●
8 Airbags: dual front, curtain, side, driver's knee and far side airbags	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Passenger side SRS airbag on/off switch	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Height-adjustable upper mounts for front seat belts	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Pre-tensioners with load limiters for front seat belts	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Pre-tensioners with load limiters for outer rear seat belts			●	●	●			●	●	●	●	●	●	●	●	●	●
3-point retractable seat belts for all rear and centre seating positions			●	●	●			●	●	●	●	●	●	●	●	●	●
Intelligent seatbelt reminder (all seats)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
2 childseat tethers and ISO FIX compatible anchor points		●	●	●	●		●	●	●	●	●	●	●	●	●	●	●
Height-adjustable head restraints for full-size seats		●	●	●	●		●	●	●	●	●	●	●	●	●	●	●
Integrated head restraint on front seats	●					●											
Child-proof rear door locks			●	●	●				●	●	●	●	●	●	●	●	●
Single 10 inch servo brake master cylinder	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Side anti-intrusion bars inside all doors	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Engine immobilizer	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear window demister		●	●	●	●		●	●	●	●	●	●	●	●	●	●	●
High Density Polyethylene (HDPE) fuel tank	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
High mount brake light on cabin	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Dual horn	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Protection																	
Under-front steel skid plate	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Steel plate guards: sump, transfer case, fuel tank leading edge; reinforced resin under fuel tank						●	●	●	●	●	●	●	●	●	●	●	●
Suspension and Brakes																	
Standard rear leaf suspension				●	●			●		●		●	●		●	●	●
Heavy duty rear leaf suspension	●	●	●			●	●		●		●			●			
Front independent, coil spring suspension w/gas shock absorbers, upper and lower wishbones and stabiliser bar	●		●	●	●	●		●	●	●		●	●		●	●	●
Heavy-duty brakes: 320mm ventilated front discs w/twin-pot calipers, 295mm rear drums	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●



## SPECIFICATIONS

### In-cabin Storage

Lower glovebox compartment only	●	●	●	●		●	●		●	●																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
---------------------------------	---	---	---	---	--	---	---	--	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

## Rear Tub

Item	Unit	Quantity	Unit Price	Total Price	Notes
Double-walled ute tub		1	100.00	100.00	
4 cargo tie-down hooks inside ute tub		4	25.00	100.00	
Under rail tub liner		1	100.00	100.00	
2 cargo tie-down hooks inside ute tub		2	50.00	100.00	
Tailgate Assist		1	100.00	100.00	

### Exterior Style

[illegible]

## SPECIFICATIONS

## Seating

[illegible]

### Cabin Amenities

	Audi A6	VW Passat CC	Ford Focus RS	Honda Civic Type R	Kia Niro EV	Mazda MX-5 Miata	Porsche Taycan	Suzuki Swift Sport	Tesla Model S	Vauxhall Corsa-e	Volkswagen Golf GTI
Dual zone climate control air-conditioning with integrated heater/demister	●	●	●	●	●	●	●	●	●	●	●
Manual air-conditioning with integrated heater/demister	●	●	●	●	●	●	●	●	●	●	●
Rear seat air-conditioning vents	●	●	●	●	●	●	●	●	●	●	●
Pollen and fine particle air filter	●	●	●	●	●	●	●	●	●	●	●
Power windows with one-touch up/down driver's window with safety stop and delay closing	●	●	●	●	●	●	●	●	●	●	●
Comfort turn signal	●	●	●	●	●	●	●	●	●	●	●
Central locking with keyless entry	●	●	●	●	●	●	●	●	●	●	●
Smart keyless entry							●				●
Walk away lock							●				●
Remote key auto re-lock	●	●	●	●	●		●				●
Push button start							●				●
Remote engine start							●				●
Power-adjustable door mirrors with turn indicator lights							●				●
Power-adjustable door mirrors	●	●	●	●	●		●				●
4 speaker sound system	●	●	●	●	●		●				●
6 speaker sound system							●				●
"Sky Sound" roof-mounted sound system with 8 speakers (mounted in front dash, front doors, rear doors and roof)							●				●
9 inch touchscreen display with wireless Apple CarPlay® and wireless Android Auto™ with MID Integration							●				●
8 inch touchscreen display with wireless Apple CarPlay® and wireless Android Auto™	●	●	●	●	●		●				●
Built-in satellite navigation with MID turn-by-turn directions							●				●
Rear centre console USB charging port							●				●
USB type C port in central instrument panel							●				●
USB type C port in Touchscreen	●	●	●	●	●		●				●
USB type C port in rear floor console							●				●
USB type A port in Stereo Camera Housing	●	●	●	●	●		●				●
Tilt and telescopic adjustable steering wheel with electric power steering	●	●	●	●	●		●				●
Urethane steering wheel with cruise, audio and voice recognition controls	●	●	●	●	●		●				●
Leather steering wheel with cruise, audio and voice recognition controls							●				●
4.2 inch Smart MID with digital speedometer, safety information, fuel economy and range, odometer, trip information and service reminder	●	●	●	●	●		●				●
7 inch Smart MID with digital speedometer, safety information, fuel economy and range, odometer, trip information and service reminder							●				●
Tyre Pressure Monitoring System (TPMS)							●				●
Electro-luminescent gauges	●	●	●	●	●		●				●
*Terrain Command* 4x4 select dial							●				●
Rear differential lock button							●				●
Rough Terrain Mode button							●				●
Automatic windshield wipers	●	●	●	●	●		●				●
Intuitive flat wiper blade							●				●
Day/night interior rear view mirror	●	●	●	●	●		●				●
Auto-dimming rear view mirror							●				●
Sun visors with vanity mirrors (driver and passenger) and ticket retaining strap (driver)							●				●
Sun visors with illuminated vanity mirrors (driver and passenger) and ticket retaining strap (driver)							●				●
Fixed A-pillar assist-grips for driver and front passenger	●	●	●	●	●		●				●
Fixed B-pillar assist-grips for rear passengers							●				●
Folding assist-grips for driver and front passenger							●				●
Folding assist-grips for rear passengers							●				●
Carpet flooring							●				●
Easy-clean vinyl flooring	●	●	●	●	●		●				●

Apple CarPlay is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local road rules before using these functions.



# FUEL, WEIGHTS & DIMENSIONS

## D-MAX ADR 81/02<sup>4</sup> Fuel Consumption Values

Transmission (MT = Manual, AT = Automatic)	4x2 High-Ride							
	Single Cab Chassis SX		Space Cab Chassis SX		Crew Cab Chassis SX		Crew Cab Ute SX	
	1.9L	3.0L			1.9L	3.0L	1.9L	3.0L
MT/AT	MT/AT	AT	AT	AT	AT	AT	AT	AT
FUEL CONSUMPTION (litres/100km)								
Combined	7.0	8.0	8.0	7.0	8.0	6.7	7.7	8.0
Urban	7.9	10.2/9.8	9.8	7.9	9.8	8.3	9.5	9.8
Extra Urban	6.6	6.7/6.9	6.9	6.6	6.9	6.0	6.7	6.9
CO <sup>2</sup> (g/km)								
Combined	184	206/207	207	184	207	177	200	207
Urban	208	262/254	254	208	254	218	246	254
Extra Urban	174	174/180	180	174	180	158	174	180

## Dimensions (mm unless stated otherwise)

Wheelbase	3125	3125	3125	3125	3125
Overall length	5340	5300	5300	5280	5285
Overall width (excluding door mirrors)	1870	1870	1870	1870	1870
Overall height (*depends on body fitted)	1790*	1800*	1800*	1785	1790
Front overhang	890	890	890	890	890
Rear overhang (*depends on body fitted)	1310*	1270*	1270*	1250	1250
Wheel track width	1570	1570	1570	1570	1570
Ground clearance	235	235	235	235	240
Turning circle diameter between kerbs (metres)	12.5	12.5	12.5	12.5	12.5
Approach angle	29.6°	29.6°	29.6°	29.6°/30°	30.5°
Departure angle	24.6°	25.3°	25.3°	23.9°	19.0°
Ramp-over angle	23.9°	23.9°	23.9°	23.3°	23.8°

## Load area (mm)

Cab to rear axle	1240	765	450	450	450
Length (top)	-	-	-	1495	1495
Length (floor) (*inside genuine accessory tray body)	2550*	2100*	1800*	1570	1570
Maximum width (*inside genuine accessory alloy tray body)	1777*	1777*	1777*	1530	1530
Width between wheel houses	-	-	-	1122	1122
Depth	-	-	-	490	490

## Interior (mm)

Leg room - front	1075	1075	1075	1075	1075
Leg room - rear	-	-	905	905	905
Shoulder room - front	1460	1460	1460	1460	1460
Head room - front	1020	1020	1020	1020	1020
Rear cargo space	-	730	-	-	-

## Mass (kg)

Gross Vehicle Mass (GVM)	3000	3000	3000	3000	3000	3000	3000	3000
Kerb weight*	1600/1620	1695/1705	1780	1745	1830	1870	1950	2015
Payload* (cab chassis models: final mass depends on body fitted)	1400/1380	1305/1295	1220	1255	1170	1130	1050	985
Gross Combination Mass (GCM)	5300/5500	5850	5850	5500	5850	5500	5850	5850
Maximum towing mass (braked trailer)	2800/3000	3500	3500	3000	3500	3000	3500	3500
Maximum towing mass (non-braked trailer)	750	750	750	750	750	750	750	750
Maximum tow ball download (when fitted with genuine Isuzu UTE tow kit)	280/300	350	350	300	350	300	350	350
Fuel tank capacity (litres)	76	76	76	76	76	76	76	76

4x4													
Single Cab Chassis SX	Space Cab Chassis SX	Space Cab Ute LS-U	Crew Cab Chassis SX	Crew Cab Ute SX		Crew Cab Chassis LS-M	Crew Cab Ute LS-M	Crew Cab Ute X-RIDER	Crew Cab Chassis LS-U	Crew Cab Ute LS-U	Crew Cab Ute LS-U+	Crew Cab Ute X-TERRAIN	
				1.9L	3.0L								
MT / AT	AT	AT	MT / AT	AT	AT	AT	AT	AT	AT	AT	AT	AT	
8.0	8.0	8.0	8.0	6.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
10.2/9.8	9.8	9.8	10.2/9.8	8.1	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	
6.7/6.9	6.9	6.9	6.7/6.9	6.3	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	
206/207	207	207	206/207	180	207	207	207	207	207	207	207	207	
262/254	254	254	262/254	212	254	254	254	254	254	254	254	254	
174/180	180	180	174/180	165	180	180	180	180	180	180	180	180	

3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125
5340	5300	5285	5300	5280	5300	5280	5300	5280	5305	5300	5285	5285	5310
1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1880
1790*	1800*	1790	1800*	1785	1800*	1785	1800*	1785	1785	1805*	1790	1790	1810
890	890	890	890	890	890	890	890	890	890	890	890	890	905
1310*	1270*	1250	1270*	1250	1270*	1250	1270*	1250	1250	1270*	1255	1255	1255
1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570
235	235	240	235	235	235	235	235	235	235	240	240	240	240
12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5
29.6°	29.6°	30.5°	29.6°	30°	29.6°	30°	29.6°	30°	26.9°	30°	30.5°	30.5°	27.3°
24.6°	25.3°	19.0°	25.3°	23.9°	23.9°	25.3°	23.9°	23.9°	23.9°	20.6°	19.0°	19.0°	19.0°
23.9°	23.9°	23.3°	23.9°	23.3°	23.9°	23.3°	23.9°	23.3°	23.3°	24.3°	23.8°	23.8°	23.8°

1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075
-	-	-	905	905	905	905	905	905	905	905	905	905	905
1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460
1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020
-	730	730	-	-	-	-	-	-	-	-	-	-	-





3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100
1785/1790	1865	2065	1910/1915	1955	2035	1910	2030	2055	1965	2105	2110	2170	
1315/1310	1235	1035	1190/1185	1145	1065	1190	1070	1045	1135	995	990	930	
6000	6000	6000	6000	5500	6000	6000	6000	6000	6000	6000	6000	6000	
3500	3500	3500	3500	3000	3500	3500	3500	3500	3500	3500	3500	3500	
750	750	750	750	750	750	750	750	750	750	750	750	750	
350	350	350	350	300	350	350	350	350	350	350	350	350	
76	76	76	76	76	76	76	76	76	76	76	76	76	

<sup>4</sup>Fuel consumption & emissions figures based on ADR 81/02 & are to be used for vehicle comparison purposes only. Actual fuel consumption & emissions will vary depending on many factors including, but not limited to, traffic conditions, individual driving style & vehicle condition.  
\*Kerb weight - unladen mass of vehicle & full tank of fuel, excludes tray body for cab chassis vehicles. Fuel weight ratio is based on Fuel Standard (Automotive Diesel) Determination 2001.  
-Payload equals GVM minus kerb weight.





# CAB CHASSIS BODY STYLES AND DIMENSIONS (24MY)







**SX Single Cab Chassis 4x2 & 4x4**







**SX Space Cab Chassis 4x2 & 4x4**



**SX Crew Cab Chassis 4x2 & 4x4**



**LS-M Crew Cab Chassis 4x4**





# CAB CHASSIS AND UTE BODY STYLES AND DIMENSIONS (24MY)



**LS-U Crew Cab Chassis 4x4**



















**SX Crew Cab Ute 4x2 & 4x4**



**LS-M Crew Cab Ute 4x4**







**X-RIDER Crew Cab Ute 4x4**







# UTE BODY STYLES AND DIMENSIONS (24MY)







**LS-U Space Cab Ute 4x4**



**LS-U Crew Cab Ute 4x2 & 4x4  
LS-U+ Crew Cab Ute 4x4**



**X-TERRAIN Crew Cab Ute 4x4**





# TRAY STYLES

**Economy Alloy**

**General Purpose Alloy**

**Heavy Duty Alloy**

**Heavy Duty Steel**

**Mine Specification Steel**



Single



Space



Crew





# ***THE ADVENTURE STARTS HERE***



4x4 D-MAX LS-U Crew Cab Ute in Neptune Blue mica



# Go your own way for longer with Isuzu UTE Service Plus, I-Venture Club, Isuzu UTE Genuine Accessories and Isuzu UTE Approved Accessories.

## SERVICE PLUS

With every new Isuzu D-MAX you'll get:

Up to five years Flat Price Servicing, ensuring you know your service costs up-front with a flat price of \$449 per service fixed for the first five scheduled services. Plus, a six year or 150,000km warranty, and up to seven years roadside assistance.

Enjoy peace of mind and go your own way with confidence thanks to Isuzu UTE Service Plus.



## I-VENTURE CLUB

You won't want to miss the opportunity to properly test your D-MAX's potential - and take your skills to the next level. Whether it is during one of our information-packed towing training sessions or on a day out in some of Australia's most epic off-roading locations, I-Venture Club offers the perfect opportunity to build your skillset and get the most from your D-MAX.

As an Isuzu UTE owner you can sign up to fun-filled trips and training sessions, where you will meet like-minded adventurers, learn from our qualified instructors and get to experience the capabilities of your D-MAX.

Head to [www.iventureclub.com.au](http://www.iventureclub.com.au) for a taste of what's to come.



**I-VENTURE CLUB**

## GENUINE ACCESSORIES

Isuzu UTE Genuine Accessories<sup>1</sup> are the key to taking on more challenging terrain in true 'Go your own way' style. Isuzu UTE's extensive range of accessories allows you to enhance and personalise your ride with precision engineered parts of the highest quality, with correct fit guaranteed every time. Each genuine accessory comes with a comprehensive warranty, providing ultimate peace of mind, and the chance to pack more, do more, or just add a little more style to your D-MAX. See the full range of accessories in the D-MAX Accessories brochure or at [isuzuute.com.au](http://isuzuute.com.au).



## APPROVED ACCESSORIES

Isuzu UTE Approved Accessories<sup>2</sup> are third-party branded accessories that have been thoroughly tested and vetted to ensure they meet Isuzu's highest standards. Constructed for local conditions by a variety of Australian manufacturers you know and trust, they provide another way to enhance and personalise your D-MAX with the confidence of Isuzu UTE Australia's seal of approval. Whether used in combination with Genuine Accessories or without, Isuzu UTE Approved Accessories can be trusted to maintain the integrity of your D-MAX - while also offering a distinctly individual touch. See the full range of accessories in the D-MAX Accessories brochure or at [isuzuute.com.au](http://isuzuute.com.au).



<sup>1</sup>The Flat Price Servicing Program ("FPS Program") applies to FPS Eligible Vehicles (excludes Rental & Government Customers) at Participating Isuzu UTE Dealers only. For 24MY and later vehicle models, the Flat Price Servicing covers the first 5 Scheduled Services up to 5 years/75,000km (whichever occurs first). FPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit [isuzuute.com.au/flat-price-service-disclaimer](http://isuzuute.com.au/flat-price-service-disclaimer). <sup>2</sup>6 years/150,000km (whichever occurs first), for Isuzu UTE Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories. <sup>3</sup>The Roadside Assistance Program ("RSA Program") provides Coverage to RSA Eligible Vehicles (Private, ABN and Business Fleet Customers only) with a Warranty Start Date on or after 1/9/20 for a maximum of 7 years (unlimited kilometres). Initial 13 months Coverage provided from the Warranty Start Date. The Coverage will be reset for another 13 months from each date that a Participating Isuzu UTE Dealer conducts a Scheduled Service on the vehicle. For full terms & conditions visit [isuzuute.com.au/roadside-assistance-disclaimer](http://isuzuute.com.au/roadside-assistance-disclaimer).

<sup>1</sup>Warranty for Isuzu UTE Genuine Accessories fitted by an authorised Isuzu UTE Dealer at the point of sale of a new Isuzu UTE vehicle are covered for three (3) years or 100,000 kilometres, whichever occurs first; Isuzu UTE Genuine Accessories fitted by an authorised Isuzu UTE Dealer after the delivery of a new Isuzu UTE vehicle are covered for one (1) year or 40,000 kilometres from the date of accessory purchase, whichever occurs first; Isuzu UTE Genuine Accessories not fitted by an authorised Isuzu UTE Dealer are warranted from the date of purchase for one (1) year or 20,000 kilometres, whichever occurs first.

<sup>2</sup>Isuzu UTE Approved Accessories are not manufactured or warranted by Isuzu UTE Australia Pty Ltd. The warranty is provided by the manufacturer of the accessory. For more information refer to the Isuzu D-MAX Accessories brochure.





**ISUZU**  
**UTE**  
GO YOUR OWN WAY

[www.isuzuute.com.au](http://www.isuzuute.com.au) Toll Free: 1300 147 898

Isuzu UTE Australia Pty Ltd (ABN 80 129 563 739, 1000 Wynnum Road, Cannon Hill, Queensland, 4170, Australia) reserves the right to change specifications & content without notice, subject to any applicable Federal, State or Territory laws or regulations which may apply. Any accessories shown herein are illustrative & generally are optional at extra cost, not standard equipment. Colours depicted herein may differ from actual due to the printing process. Please refer to [isuzuute.com.au](http://isuzuute.com.au) or consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours & Isuzu UTE Genuine Accessories. No part of this brochure can be reproduced without the written permission from Isuzu UTE Australia.

All information is true and correct at the time of publishing, November 2024. Printed in Australia. © Copyright Isuzu UTE Australia Pty Ltd 2024.

Part No.: M0900R0010 – 24MY D-MAX SALES BROCHURE