

25.5MY ISUZU D-MAX SPECIFICATIONS

Engine	3.0L	2.2L
Series	Isuzu 4JJ3-TCX	RZ4F-TC
Description	3.0 litre turbo-diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD)	2.2 litre turbo diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD)
Maximum torque	450Nm @ 1600 → 2600 rpm	400Nm @ 1600 → 2400 rpm
Maximum power	140kW @ 3600 rpm	120kW @ 3600 rpm
Bore x stroke	95.4mm x 104.9mm	83mm x 100mm
Displacement	2999cc	2164cc
Compression ratio	16.3 : 1	15.9 : 1
Cylinder head	Isuzu-patent special aluminium alloy	Isuzu-patent special aluminium alloy
Valve gear	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder
Induction	Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger	Electronic high pressure common rail direct fuel injection and intercooled electric control VGS (Variable Geometry System) turbocharger
Cylinder block	Cast iron upper with induction-hardened cylinder bores, cast alloy lower	Cast iron upper with induction-hardened cylinder bores, cast alloy lower
Emission level	Euro 5	Euro 5
Alternator	120 amp with Intelligent Battery Sensor (IBS)	120 amp with Intelligent Battery Sensor (IBS)

Transmissions

Automatic	Aisin AWR6B45 II 6-speed with sequential shift and fuel-saving lock-up torque converter	
	Aisin L-B500 8-speed with sequential shift and fuel-saving lock-up torque converter	
	► Uphill/Downhill Transmission Control: holds gear in varied-gradient ascents, selects gear on steep descents to hold speed with engine braking	
Ratios:	3.0L Engine 6-speed Automatic	2.2L Engine 8-speed Automatic
	1st	4.903
	2nd	3.120
	3rd	2.166
	4th	1.597
	5th	1.312
	6th	1.000
	7th	0.776
	8th	0.651
	Reverse	4.050
Final drive	4x2	3.583
	4x4	3.583
	Snorkelled diff breathers to increase fording depth and reduce mud blockage	
Transfer gearing	4x4 low-range	2.482
	4x4 high-range	1.000
4x4 system	"Terrain Command" control with 'shift on the fly' 2-high ↔ 4-high selection at up to 100km/h, 4-low with rear differential lock	
Drivetrain system	TCS (Traction Control System) on all model variants	

Steering

Electric power steering with speed-sensing steering feel (light at low speed, heavy at high speed); tilt and telescopic adjustable steering wheel

Engine-speed-sensitive variable capacity Electric power system; 3.84 turns lock-to-lock via tilt-adjustable steering wheel

Chassis

Separate, full-length heavy-duty chassis with 8 cross members on all models

Front suspension

Independent, high-ride, coil springs, gas shock absorbers, upper and lower wishbones, stabiliser bar

Rear suspension

All Cab Chassis models: Heavy Duty alloy-steel overslung long-span semi-elliptic leaf springs; gas shock absorbers

4x2 and 4x4 models: Alloy-steel overslung long-span semi-elliptic leaf springs; gas shock absorbers

Axles

Front

Independent 4x4: fully floating with outer CV, inner double offset joints and equal length driveshafts. Rating: 1450kg

Rear

Rigid semi-floating banjo with hypoid final drive and dual tapered needle roller bearings. Rating: 1910kg

Brakes

Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD), Electronic Stability Control (ESC), Emergency Brake Assist (EBA), Traction Control System (TCS), Rollover Mitigation, Hill Start Assist (HSA), Hill Descent Control (HDC) and Trailer Sway Control (TSC)

320mm dia. ventilated front discs with 2-piston calipers, 295mm rear drums

Power-assisted via 10" servo unit; central pull up park brake

Wheels and Tyres

SX	17" x 7" drilled Silver-Finish Steel; 255 / 65 R17 All-Terrain
X-RIDER	17" x 7" alloy; 255 / 65 R17 All-Terrain
LS-U and LS-U+	18" x 7.5" alloy; 265 / 60 R18 Highway-Terrain
X-TERRAIN	18" x 7.5" Dark Grey Alloy; 265 / 60 R18 Highway-Terrain
All Models	Full size steel spare wheel

Service Plus

Flat Price Servicing² As an owner you may be able to access our Flat Price Servicing Program. The FPS Program covers the first 5 Scheduled Services in line with the Scheduled Service Intervals.

Warranty⁴ For the ultimate peace of mind, the Isuzu D-MAX comes standard with a comprehensive, bumper-to-bumper 6 years/150,000km warranty.

Roadside Assistance⁵ Enjoy up to 7 years Roadside Assistance when you complete your scheduled services at a Participating Isuzu UTE Dealer.

The FPS Program covers the first 5 Scheduled Services in line with the Scheduled Service Intervals.

²The Flat Price Servicing Program ("FPS Program") applies to FPS Eligible Vehicles (excludes Rental & Government Customers) at Participating Isuzu UTE Dealers only. For 24MY and later vehicle models, the Flat Price Servicing covers the first 5 Scheduled Services up to 5 years/75,000km (whichever occurs first). FPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit isuzuute.com.au/flat-price-servicedisclaimer.

⁴6 years/150,000km (whichever occurs first), for Isuzu UTE Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories.

⁵The Roadside Assistance Program ("RSA Program") provides Coverage to RSA Eligible Vehicles (Private, ABN and Business Fleet Customers only) with a Warranty Start Date on or after 1/9/20 for a maximum of 7 years (unlimited kilometres). Initial 13 months Coverage provided from the Warranty Start Date. The Coverage will be reset for another 13 months from each date that a Participating Isuzu UTE Dealer conducts a Scheduled Service on the vehicle. For full terms & conditions visit isuzuute.com.au/roadside-assistance-disclaimer.

Safety

IDAS⁶ Every D-MAX comes with Isuzu's Intelligent Driver Assistance System (IDAS) built-in to protect and enhance the driving experience. IDAS includes smart technologies as well as other passive and active safety features.

⁶IDAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Driver's Manual.

ANCAP RATING The D-MAX has achieved a maximum 5-star ANCAP safety rating in 2022. The D-MAX BLADE variant is unrated.

SPECIFICATIONS

	4x2 High-Ride					4x4								
	Single Cab Chassis SX	Space Cab Chassis SX	Crew Cab Chassis SX	Crew Cab Ute SX	Crew Cab Ute LS-U	Single Cab Chassis SX	Space Cab Chassis SX	Crew Cab Chassis SX	Crew Cab Ute SX	Crew Cab Ute X-RIDER	Crew Cab Chassis LS-U	Crew Cab Ute LS-U	Crew Cab Ute LS-U+	Crew Cab Ute X-TERRAIN
Engine														
2164cc DOHC 4cyl. with intercooled turbo charger (400Nm, 120kW)	●		●	●		●		●	●	●				
2999cc DOHC 4cyl. with intercooled turbo charger (450Nm, 140kW)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Idle Stop-Start System (ISS)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Transmissions														
6-speed automatic transmission with sequential sport mode	●	●	●	●	●	●	●	●	●	●	●	●	●	●
8-speed automatic transmission with sequential sport mode	●		●	●		●		●	●	●				●
Safety and Security														
4-channel 4-sensor Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Electronic Stability Control (ESC)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traction Control System (TCS)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Emergency Brake Assist (EBA)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hill Start Assist (HSA)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hill Descent Control (HDC)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Autonomous Emergency Braking (AEB)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Turn Assist with AEB	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Post-Collision Braking	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Forward Collision Warning (FCW)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Misacceleration Mitigation	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Intelligent Adaptive Cruise Control (IACC) with Stop and Go functionality	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traffic Jam Drive Assist	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traffic Sign Recognition (TSR)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Intelligent Speed Limiter	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Manual Speed Limiter	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lane Departure Warning (LDW)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lane Departure Prevention (LDP)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lane Keep Assist (LKA)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Emergency Lane Keeping (ELK)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lane Support System (LSS) Switch (disables LDW, LDP, LKA, ELK)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Driver Attention Assist	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Blind Spot Monitoring (BSM)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear Cross Traffic Alert (RCTA)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear Cross Traffic Braking (RCTB)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
BSM/RCTA/RCTB Auto Switch Off (disables BSM/RCTA/RCTB when the genuine tow harness is connected)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Digital Reversing camera w/ Dynamic Guidelines	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Digital Reversing camera	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear Park Assist Sensors	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Front Park Assist Sensors	●	●	●	●	●	●	●	●	●	●	●	●	●	●
8 Airbags: dual front, curtain, side, driver's knee and far side airbags	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Passenger side SRS airbag on/off switch	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Height-adjustable upper mounts for front seat belts	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Pre-tensioners with load limiters for front seat belts	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Pre-tensioners with load limiters for outer rear seat belts	●	●	●	●	●	●	●	●	●	●	●	●	●	●
3-point retractable seat belts for all rear and centre seating positions	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Intelligent seatbelt reminder (all seats)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
2 childseat tethers and ISO FIX compatible anchor points	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Height-adjustable head restraints for full-size seats	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Integrated head restraint on front seats	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Child-proof rear door locks	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Single 10 inch servo brake master cylinder	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Side anti-intrusion bars inside all doors	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Engine immobilizer	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear window demister	●	●	●	●	●	●	●	●	●	●	●	●	●	●
High Density Polyethylene (HDPE) fuel tank	●	●	●	●	●	●	●	●	●	●	●	●	●	●
High mount brake light on cabin	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Dual horn	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Protection														
Under-front steel skid plate	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Steel plate guards: sump, transfer case, fuel tank leading edge; reinforced resin under fuel tank	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Suspension and Brakes														
Standard rear leaf suspension	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Heavy duty rear leaf suspension	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Front independent, coil spring suspension w/gas shock absorbers, upper and lower wishbones and stabiliser bar	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Heavy-duty brakes: 320mm ventilated front discs w/twin-pot calipers, 295mm rear drums	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Specifications and features may change without notice. Please consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours & Isuzu UTE Genuine Accessories. Isuzu UTE Australia makes no representations, warranties, or endorsements regarding the accuracy of this brochure.

SPECIFICATIONS

In-cabin Storage

	4x2 High-Ride					4x4								
	Single Cab Chassis SX	Space Cab Chassis SX	Crew Cab Chassis SX	Crew Cab Ute SX	Crew Cab Ute LS-U	Single Cab Chassis SX	Space Cab Chassis SX	Crew Cab Chassis SX	Crew Cab Ute SX	Crew Cab Ute X-RIDER	Crew Cab Chassis LS-U	Crew Cab Ute LS-U	Crew Cab Ute LS-U+	Crew Cab Ute X-TERRAIN
Lower glovebox compartment only	●	●	●	●		●	●	●	●		●	●	●	●
Upper and lower glovebox compartments					●					●	●	●	●	●
Power outlet in lower instrument panel	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Centre floor console	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Dual-purpose driver and front passenger cup holder tray	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear passenger door cup holders			●	●	●			●	●	●	●	●	●	●
Pockets on backs of front seats				●	●			●	●	●	●	●	●	●
Overhead console with twin map lights and flip-down sunglasses case	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Front door storage compartment with bottle bulge	●	●	●	●	●	●	●	●	●	●	●	●	●	●
2 coat hooks			●	●	●			●	●	●	●	●	●	●
Flip up convenience hook behind passenger front seat					●					●	●	●	●	●
Tool storage behind rear seats			●	●	●			●	●	●	●	●	●	●
Tool storage behind front seats	●	●			●	●	●			●	●	●	●	●

Rear Tub

Double-walled ute tub				●	●				●	●		●	●	●
4 cargo tie-down hooks inside ute tub				●	●				●	●		●	●	●
Under rail tub liner					●							●	●	●
2 cargo tie-down hooks inside ute tub					●							●	●	●
Tailgate Assist				●	●				●	●		●	●	●

Exterior Style

Short front overhang for optimal manoeuvrability and approach angle	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Halogen multi-reflector projector lens headlights for extra low beam depth & reduced flare & integrated turn indicators	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Bi-LED headlights with auto-levelling function and integrated turn indicators					●					●	●	●	●	●
Automatic headlights	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Automatic high beam	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Coming home light	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Headlight Welcome light	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LED Daytime Running Lights (DRLs)					●					●	●	●	●	●
LED fog lights					●					●	●	●	●	●
Material Black radiator grille	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Chrome radiator grille					●						●	●	●	●
Dark Grey radiator grille														●
Colour-coded front bumper	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Colour-coded integrated rear step bumper				●	●				●	●	●	●	●	●
Black integrated rear step bumper									●					
Black rear bumper	●	●	●			●	●	●						
Factory fitted tow bar receiver					●					●	●	●	●	●
Space cab rear "wing" doors		●					●							
Aluminium side steps					●					●	●	●	●	●
Dark Grey side steps														●
Black door and tailgate handles	●	●	●	●		●	●	●	●	●				●
Chrome door and tailgate handles					●					●	●	●		
Dark Grey door and tailgate handles														●
Basalt Black door and tailgate handles														●
Lockable tailgate				●	●				●	●		●	●	●
Dark Grey Aero Sports Bar														●
Black Sports Bar										●				
Matte Black roller tonneau														●
Soft tonneau cover										●				
Dark Grey front and rear underbody spoilers														●
Black front underbody spoiler										●				
Dark Grey fender flares														●
Dark Grey roof rails														●
Black power door mirrors	●	●	●	●		●	●	●	●					
Basalt Black power door mirrors with integrated turn indicators										●				
Chrome fold-in power door mirrors with integrated turn indicators					●						●	●	●	
Dark Grey fold-in power door mirrors with integrated turn indicators														●
Heated door mirrors					●						●	●	●	●
Centre front roof-mounted bee-sting aerial	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LED rear combination lamps					●							●	●	●

Specifications and features may change without notice. Please consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours & Isuzu UTE Genuine Accessories. Isuzu UTE Australia makes no representations, warranties or endorsements regarding the accuracy of this brochure.

SPECIFICATIONS

Seating

	4x2 High-Ride					4x4								
	Single Cab Chassis SX	Space Cab Chassis SX	Crew Cab Chassis SX	Crew Cab Ute SX	Crew Cab Ute LS-U	Single Cab Chassis SX	Space Cab Chassis SX	Crew Cab Chassis SX	Crew Cab Ute SX	Crew Cab Ute X-RIDER	Crew Cab Chassis LS-U	Crew Cab Ute LS-U	Crew Cab Ute LS-U+	Crew Cab Ute X-TERRAIN
Standard Black cloth seats	●	●	●	●		●	●	●	●					
High Grade cloth seats					●					●	●	●		
Leather Accented seats													●	
Leather Accented seats with Red Stitching														●
Front bucket whiplash protection seats	●	●	●	●	●	●	●	●	●	●	●	●	●	●
6-way adjustable driver seat	●	●	●	●	●	●	●	●	●	●	●	●	●	●
8-way electric adjustable driver seat													●	●
Electric adjustable lumbar support (driver seat only)					●						●	●	●	●
Heated front seats													●	●
Split-fold rear seat				●	●			●	●					
Split-fold rear seat with centre arm rest					●					●	●	●	●	●
Rear centre seat headrest				●	●			●	●	●	●	●	●	●

Cabin Amenities

Dual zone climate control air-conditioning with integrated heater/demister					●						●	●	●	●
Manual air-conditioning with integrated heater/demister	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear seat air-conditioning vents					●									●
Pollen and fine particle air filter	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Power windows with one-touch up/down driver's window with safety stop and delay closing	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Comfort turn signal	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Central locking with keyless entry	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Smart keyless entry					●									●
Walk away lock					●									●
Remote key auto re-lock	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Push button start					●						●	●	●	●
Remote engine start					●									●
4 speaker sound system	●	●	●	●	●	●	●	●	●					
6 speaker sound system										●				
*Sky Sound® roof-mounted sound system with 8 speakers (mounted in front dash, front doors, rear doors and roof)					●						●	●	●	●
9 inch touchscreen display with wireless Apple CarPlay® and wireless Android Auto™* with MID Integration					●						●	●	●	●
8 inch touchscreen display with wireless Apple CarPlay® and wireless Android Auto™*	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Built-in satellite navigation with MID turn-by-turn directions					●						●	●	●	●
Rear centre console USB charging port				●	●			●	●	●	●	●	●	●
USB type C port in central instrument panel					●						●	●	●	●
USB type C port in Touchscreen	●	●	●	●	●	●	●	●	●	●				
USB type C port in rear floor console					●									●
USB type A port in Stereo Camera Housing	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Tilt and telescopic adjustable steering wheel with electric power steering	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Urethane steering wheel with cruise, audio and voice recognition controls	●	●	●	●	●	●	●	●	●	●				
Leather steering wheel with cruise, audio and voice recognition controls					●						●	●	●	●
4.2 inch Smart MID with digital speedometer, safety information, fuel economy and range, odometer, trip information and service reminder	●	●	●	●	●	●	●	●	●	●				
7 inch Smart MID with digital speedometer, safety information, fuel economy and range, odometer, trip information and service reminder					●						●	●	●	●
Tyre Pressure Monitoring System (TPMS)					●						●	●	●	●
Electro-luminescent gauges	●	●	●	●	●	●	●	●	●	●	●	●	●	●
*Terrain Command® 4x4 select dial					●						●	●	●	●
Rear differential lock button					●						●	●	●	●
Rough Terrain Mode button					●						●	●	●	●
Automatic windshield wipers	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Intuitive flat wiper blade					●									●
Day/night interior rear view mirror	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Auto-dimming rear view mirror					●						●	●	●	●
Sun visors with vanity mirrors (driver and passenger) and ticket retaining strap (driver)					●						●	●	●	●
Sun visors with illuminated vanity mirrors (driver and passenger) and ticket retaining strap (driver)					●								●	●
Fixed A-pillar assist-grips for driver and front passenger	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fixed B-pillar assist-grips for rear passengers					●						●	●	●	●
Folding assist-grips for driver and front passenger					●						●	●	●	●
Folding assist-grips for rear passengers					●						●	●	●	●
Carpet flooring					●						●	●	●	●
Easy-clean vinyl flooring	●	●	●	●	●	●	●	●	●	●				

*Apple CarPlay is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local road rules before using these functions.

Specifications and features may change without notice. Please consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours & Isuzu UTE Genuine Accessories. Isuzu UTE Australia makes no representations, warranties, or endorsements regarding the accuracy of this brochure.

FUEL, WEIGHTS & DIMENSIONS

D-MAX ADR 81/02⁴ Fuel Consumption Values

Transmission (AT = Automatic)	2.2L SX		3.0L SX		2.2L SX		3.0L SX		Crew Cab Ute LS-U
FUEL CONSUMPTION (litres/100km)	AT	AT	AT	AT	AT	AT	AT	AT	AT
Combined	6.9	7.8	7.8	6.9	7.8	6.3	7.1	7.1	

Dimensions (mm unless stated otherwise)

	4x2 High-Ride					4x4																
	Single Cab Chassis SX		Space Cab Chassis SX	Crew Cab Chassis SX		Crew Cab Ute SX		Crew Cab Ute LS-U	Single Cab Chassis SX		Space Cab Chassis SX		Crew Cab Chassis SX		Crew Cab Ute SX		Crew Cab Ute X-RIDER		Crew Cab Chassis LS-U	Crew Cab Ute LS-U	Crew Cab Ute LS-U+	Crew Cab Ute X-TERRAIN
	2.2L	3.0L		2.2L	3.0L	2.2L	3.0L		2.2L	3.0L	2.2L	3.0L	2.2L	3.0L	2.2L	3.0L	2.2L	3.0L				
Wheelbase	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125
Overall length	5340	5300	5300	5300	5280	5285	5285	5285	5340	5300	5300	5280	5305	5305	5300	5285	5285	5285	5310	5310	5310	5310
Overall width (excluding door mirrors)	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1880	1880	1880	1880
Overall height (*depends on body fitted)	1790*	1800*	1800*	1785	1790	1790	1790	1790	1790*	1800*	1800*	1785	1785	1785	1805*	1790	1790	1790	1810	1810	1810	1810
Front overhang	905	905	905	905	905	905	905	905	905	905	905	905	930	905	905	905	905	905	930	930	930	930
Rear overhang (*depends on body fitted)	1310*	1270*	1270*	1250	1255	1255	1255	1255	1310*	1270*	1270*	1250	1250	1250	1270*	1255	1255	1255	1255	1255	1255	1255
Wheel track width	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570
Ground clearance	235	235	235	235	240	240	240	240	235	235	235	235	235	235	240	240	240	240	240	240	240	240
Turning circle diameter between kerbs (metres)	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5
Approach angle	29.6°	29.6°	29.6°	30°	30.5°	30.5°	30.5°	30.5°	29.6°	29.6°	29.6°	30°	26.9°	30°	30.5°	30.5°	30.5°	30.5°	27.3°	27.3°	27.3°	27.3°
Departure angle	24.6°	25.3°	25.3°	23.9°	19.0°	19.0°	19.0°	19.0°	24.6°	25.3°	25.3°	23.9°	23.9°	20.6°	19.0°	19.0°	19.0°	19.0°	19.0°	19.0°	19.0°	19.0°
Ramp-over angle	23.9°	23.9°	23.9°	23.3°	23.8°	23.8°	23.8°	23.8°	23.9°	23.9°	23.9°	23.3°	23.3°	24.3°	23.8°	23.8°	23.8°	23.8°	23.8°	23.8°	23.8°	23.8°

Load area (mm)

	4x2 High-Ride					4x4																
Cab to rear axle	1240	765	450	450	450	1240	765	450	450	450	450	450	450	450	450	450	450	450	450	450	450	450
Length (top)	-	-	-	1495	1495	-	-	-	1495	1495	-	1495	1495	-	1495	1495	1495	1495	1495	1495	1495	1495
Length (floor) (*inside genuine accessory tray body)	2550*	2100*	1800*	1570	1570	2550*	2100*	1800*	1570	1570	1800*	1570	1570	1800*	1570	1570	1570	1570	1570	1570	1570	1570
Maximum width (*inside genuine accessory alloy tray body)	1777*	1777*	1777*	1530	1530	1777*	1777*	1777*	1530	1530	1777*	1530	1530	1777*	1530	1530	1530	1530	1530	1530	1530	1530
Width between wheel houses	-	-	-	1122	1122	-	-	-	1122	1122	-	1122	1122	-	1122	1122	1122	1122	1122	1122	1122	1122
Depth	-	-	-	490	490	-	-	-	490	490	-	490	490	-	490	490	490	490	490	490	490	490

Interior (mm)

	4x2 High-Ride					4x4																
Leg room - front	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075
Leg room - rear	-	-	905	905	905	-	-	905	905	905	905	905	905	905	905	905	905	905	905	905	905	905
Shoulder room - front	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460
Head room - front	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020	1020
Rear cargo space	-	730	-	-	-	-	-	730	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mass (kg)

	4x2 High-Ride					4x4																
Gross Vehicle Mass (GVM)	3000	3000	3000	3000	3000	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100
Kerb weight ⁴	1650	1700	1775	1775	1825	1895	1950	2015	1790	1860	1860	1915	1980	2035	2010	2060	1960	2105	2105	2170	2170	2170
Payload ⁵ (cab chassis models: final mass depends on body fitted)	1350	1300	1225	1225	1175	1105	1050	985	1310	1240	1240	1185	1120	1065	1090	1040	1140	995	995	930	930	930
Gross Combination Mass (GCM)	5850	5850	5850	5850	5850	5850	5850	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
Maximum towing mass (braked trailer)	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500
Maximum towing mass (non-braked trailer)	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750
Maximum tow ball download (when fitted with genuine Isuzu UTE tow kit)	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350
Fuel tank capacity (litres)	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76

⁴Fuel consumption & emissions figures based on ADR 81/02 & are to be used for vehicle comparison purposes only. Actual fuel consumption & emissions will vary depending on many factors including, but not limited to, traffic conditions, individual driving style & vehicle condition. ⁵Kerb weight - unladen mass of vehicle & full tank of fuel, excludes tray body for cab chassis vehicles. Fuel weight ratio is based on Fuel Standard (Automotive Diesel) Determination 2001.

⁶Payload equals GVM minus kerb weight.

Specifications and features may change without notice. Please consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours & Isuzu UTE Genuine Accessories. Isuzu UTE Australia makes no representations, warranties or endorsements regarding the accuracy of this brochure.

25.5MY ISUZU D-MAX BLADE SPECIFICATIONS

Engine	3.0L	
Series	Isuzu 4JJ3-TCX	
Description	3.0-litre turbo-diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD), Idle Stop Start (ISS)	
Maximum torque	450Nm @ 1600→2600 rpm	
Maximum power	140kW @ 3600 rpm	
Bore x stroke	95.4mm x 104.9mm	
Displacement	2999cc	
Compression ratio	16.3 : 1	
Cylinder head	Isuzu-patent special aluminium alloy	
Valve gear	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder	
Induction	Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger	
Cylinder block	Cast iron upper with induction-hardened cylinder bores, cast alloy lower	
Emission level	Euro 5	
Alternator	120 amp with Intelligent Battery Sensor (IBS)	
Transmission		
Automatic	6-speed auto transmission with sequential shift ► Uphill/Downhill Transmission Control: holds gear in varied-gradient ascents, selects gear on steep descents to hold speed with engine braking	
Ratios	6-speed Automatic	
	1st	3.600
	2nd	2.090
	3rd	1.488
	4th	1.000
	5th	0.687
	6th	0.580
	Reverse	3.732
Final drive	4x4	3.727
	Snorkelled diff breathers to increase fording depth and reduce mud blockage	
Transfer gearing	4x4 low-range	2.482
	4x4 high-range	1.000
4x4 system	"Terrain Command" control with 'shift on the fly' 2-high↔4-high selection at up to 100km/h, 4-low with rear differential lock	
Drivetrain system	TCS (Traction Control System)	

Steering
Electric power steering with speed-sensing steering feel (light at low speed, heavy at high speed); tilt and telescopic adjustable steering wheel

Chassis
Separate, full-length heavy-duty chassis with 8 cross members

Front suspension: Independent, high-ride, Coil Springs & Walkinshaw-tuned MTV Twin Tube Dampers, upper and lower wishbones, stabiliser bar

Rear suspension: Alloy-steel overslung long-span semi-elliptic leaf springs; lifting blocks; Walkinshaw-tuned MTV Twin Tube Dampers

Axles
Front: Independent 4x4: fully floating with outer CV, inner double offset joints and equal length driveshafts. Rating: 1450kg

Rear: Rigid semi-floating banjo with hypoid final drive and dual tapered needle roller bearings. Rating: 1910kg

Brakes
Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD), Electronic Stability Control (ESC), Emergency Brake Assist (EBA), Traction Control System (TCS), Rollover Mitigation (ROM), Hill Start Assist (HSA), Hill Descent Control (HDC) and Trailer Sway Control (TSC)

320mm dia. ventilated front discs with 2-piston calipers, 295mm rear drums
Power-assisted via 10" servo unit; central pull up park brake

Wheels and Tyres
BLADE 17" Satin Black Alloy Wheels & 275/65R17 Goodyear Wrangler DuraTrac RT Full size spare wheel

Service Plus
Flat Price Servicing As an owner you may be able to access our Flat Price Servicing* Program. The FPS Program covers the first 5 Scheduled Services in line with the Scheduled Service Intervals.

Warranty For the ultimate peace of mind, the Isuzu D-MAX comes standard with a comprehensive, bumper-to-bumper 6 years/150,000km warranty*.

Roadside Assistance Enjoy up to 7 years Roadside Assistance* when you complete your scheduled services at a Participating Isuzu UTE Dealer.



*The Flat Price Servicing Program ("FPS Program") applies to FPS Eligible Vehicles (excludes Rental & Government Customers) at Participating Isuzu UTE Dealers only. For 24MY and later vehicle models, the Flat Price Servicing covers the first 5 Scheduled Services up to 5 years/75,000km (whichever occurs first). FPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit isuzuute.com.au/flat-price-service-disclaimer.

*6 years/150,000km (whichever occurs first), for Isuzu UTE Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories.

*The Roadside Assistance Program ("RSA Program") provides Coverage to RSA Eligible Vehicles (Private, ABN and Business Fleet Customers only) with a Warranty Start Date on or after 1/9/20 for a maximum of 7 years (unlimited kilometres). Initial 13 months Coverage provided from the Warranty Start Date. The Coverage will be reset for another 13 months from each date that a Participating Isuzu UTE Dealer conducts a Scheduled Service on the vehicle. For full terms & conditions visit isuzuute.com.au/roadside-assistance-disclaimer.

Safety
IDAS Every D-MAX comes with Isuzu's Intelligent Driver Assistance System (IDAS*) built-in to protect and enhance the driving experience. IDAS includes smart technologies as well as other passive and active safety features.

*IDAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Driver's Manual.



Safety and Security

4-channel 4-sensor Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD)
Electronic Stability Control (ESC)
Traction Control System (TCS)
Emergency Brake Assist (EBA)
Hill Start Assist (HSA)
Hill Descent Control (HDC)
Autonomous Emergency Braking (AEB)
Turn Assist with AEB
Post-Collision Braking
Forward Collision Warning (FCW)
Misacceleration Mitigation
Intelligent Adaptive Cruise Control (IACC) with Stop and Go functionality
Traffic Sign Recognition (TSR)
Traffic Jam Drive Assist
Intelligent Speed Limiter
Manual Speed Limiter
Lane Departure Warning (LDW)
Lane Departure Prevention (LDP)
Lane Keep Assist (LKA)
Emergency Lane Keeping (ELK)
Lane Support System (LSS) Switch (disables LDW, LDP, LKA, ELK)
Driver Attention Assist
Blind Spot Monitoring (BSM)
Rear Cross Traffic Alert (RCTA)
Rear Cross Traffic Braking (RCTB)
BSM/RCTA/RCTB Auto Switch Off (disables BSM/RCTA/RCTB when the genuine tow harness is connected)
Digital Reversing camera w/ Dynamic Guidelines
Rear Park Assist Sensors
8 Airbags: dual front, curtain, side, driver's knee and far side airbags
Passenger side SRS airbag on/off switch
Height-adjustable upper mounts for front seat belts
Pre-tensioners with load limiters for front seat belts
Pre-tensioners with load limiters for outer rear seat belts
3-point retractable seat belts for all rear and centre seating positions
Intelligent seatbelt reminder (all seats)
2 childseat tethers and ISO FIX compatible anchor points
Height-adjustable head restraints for full-size seats
Child-proof rear door locks
Single 10 inch servo brake master cylinder
Side anti-intrusion bars inside all doors
Engine immobilizer
Rear window demister
High Density Polyethylene (HDPE) fuel tank
High mount brake light on cabin
Dual horn

Protection

Underbody Protection with Red 3mm Steel Bash Plate
Steel plate guards: sump, transfer case, fuel tank leading edge; reinforced resin under fuel tank
2x Red steel recovery points - 8,000kg rated

In-cabin Storage

Upper and lower glovebox compartments
Power outlet in lower instrument panel
Centre floor console
Dual-purpose driver and front passenger cup holder tray
Rear passenger door cup holders
Pockets on backs of front seats
Overhead console with twin map lights and flip-down sunglasses case
Front door storage compartment with bottle bulge
2 coat hooks
Flip up convenience hook behind passenger front seat
Tool storage behind rear seats

Rear Tub

Double-walled ute tub
Under rail tub liner
4 cargo tie-down hooks inside ute tub
Tailgate Assist

Exterior Style

Short front overhang for optimal manoeuvrability and approach angle
Bi-LED headlights with auto-levelling function and integrated turn indicators
Automatic headlights
Automatic high beam
Coming home light
Headlight Welcome light
LED Daytime Running Lights (DRLs)
LED fog lights
Exclusive satin black radiator grille with integrated LED lightbar
Colour-coded front bumper with unique lower bumper cladding
Colour-coded integrated rear step bumper
Factory fitted tow bar receiver
Matte black tubular steel side steps
Gloss Black door and tailgate handles
Lockable tailgate
Unique matte black sports bar
Gloss Black fold-in power door mirrors with integrated turn indicators
Heated door mirrors
Centre front roof-mounted bee-sting aerial
LED rear combination lamps
Matte black decals on bonnet, tailgate, door panels & front fascia
Satin black fender flares
Unique satin black badges on tailgate
Unique numbered build plate in engine bay

Seating

Leather accented seats with BLADE logo stitching on headrest
Front bucket whiplash protection seats
8-way electric adjustable driver seat
Electric adjustable lumbar support (driver seat only)
Heated front seats
Split-fold rear seat with centre arm rest
Rear centre seat headrest

Cabin Amenities

Dual zone climate control air-conditioning with integrated heater/demister
Rear seat air-conditioning vents
Pollen and fine particle air filter
Power windows with one-touch up/down driver's window with safety stop and delay closing
Comfort turn signal
Central locking with keyless entry
Walk away lock
Remote key auto re-lock
Push button start
Power-adjustable door mirrors with turn indicator lights
"Sky Sound" roof-mounted sound system with 8 speakers (mounted in front dash, doors and roof)
9 inch touchscreen display with wireless Apple CarPlay® and Android Auto® with MID Integration
Built-in satellite navigation with MID turn-by-turn directions
2x USB type C ports in central instrument panel and 1x USB type C port in rear floor console
USB type A port in Stereo Camera Housing
Tilt and telescopic adjustable steering wheel with electric power steering
Leather steering wheel with cruise, audio and voice recognition controls
7 inch Smart MID with digital speedometer, safety information, fuel economy and range, odometer, trip information and service reminder
Tyre Pressure Monitoring System (TPMS)
Electro-luminescent gauges
"Terrain Command" 4x4 select dial
Rear differential lock button
Rough Terrain Mode button
Automatic windshield wipers with intuitive flat wiper blade
Auto-dimming rear view mirror
Sun visors with illuminated vanity mirrors (driver and passenger) and ticket retaining strap (driver)
Fixed A-pillar assist-grips for driver and front passenger
Fixed B-pillar assist-grips for rear passengers
Folding assist-grips for driver, front passenger and rear passengers
Carpet flooring & BLADE logo branded floor mats
BLADE logo branded scuff plates
Unique numbered build plate

D-MAX ADR 81/02^A Fuel Consumption Values

FUEL CONSUMPTION (litres/100km)	
Combined	7.1

Dimensions (mm unless stated otherwise)	
Wheelbase	3125
Overall length	5308
Overall width (excluding door mirrors)	1910
Overall height	1810
Front overhang	928
Rear overhang	1255
Wheel track width	1602
Ground clearance	244
Turning circle diameter between kerbs (metres)	12.65
Approach angle	29.2°
Departure angle	19.2°
Ramp-over angle	25.2°

Load area (mm)

Cab to rear axle	450
Length (top)	1495
Length (floor)	1570
Maximum width	1530
Width between wheel houses	1122
Depth	490






Interior (mm)

Leg room - front	1075
Leg room - rear	905
Shoulder room - front	1460
Head room - front	1020

Mass (kg)

Gross Vehicle Mass (GVM)	3100
Kerb weight*	2199
Payload*	901
Gross Combination Mass (GCM)	6000
Maximum towing mass (braked trailer)	3500
Maximum towing mass (non-braked trailer)	750
Maximum tow ball download (when fitted with genuine Isuzu UTE tow kit)	350
Fuel tank capacity (litres)	76

Exterior Colour Options

Sunstone Orange mica	
Moonstone White pearl	
Basalt Black mica	
Wolfram Grey metallic	
Mineral White	



Specifications and features may change without notice. Please consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours & Isuzu UTE Genuine Accessories. Isuzu UTE Australia makes no representations, warranties or endorsements regarding the accuracy of this brochure.